

SamPack's
Five Star

2025
AUTEC PRODUCT GUIDE

AUTEC
CAR WASH SYSTEMS™





AUTECH
CAR WASH SYSTEMS

CONTENTS

12'-9"	ABOUT AUTECH	4
15'	AUTO DEALER & FLEET	8
	RETAIL	12
9'-4 1/2"	TOUCHLESS	20
	AUTECH EXPRESS	22

DRIVING SUCCESS SINCE 1981

At AUTEC, we've been redefining the car wash experience for over 40 years. Known for unmatched wash quality, reliable equipment, and eco-friendly solutions, we help our partners deliver exceptional results with a remarkable return on investment. Customers love an AUTEC car wash—and so will you.



- VIC KELLER CEO

100% STAINLESS STEEL CONSTRUCTION

“The Most Durable Equipment in the Industry.”

Every AUTEC system is built with 100% stainless steel to withstand the toughest environments. From high-volume operations to harsh weather conditions, our equipment is designed to deliver consistent performance for years to come.










AUTEC: MORE THAN JUST A BRAND — IT'S A FAMILY

At AUTEC, we're more than car wash equipment manufacturers—we're a family dedicated to empowering operators to achieve success. Beyond our renowned systems, we've developed a suite of solutions that work seamlessly together to deliver exceptional performance and operational support.



AUTEC CAR WASH SYSTEMS UNMATCHED QUALITY, DURABILITY & CONNECTIVITY

ALL AUTEC Car Wash Models Include:

-  **Rust-Resistant Build:** Premium 100% welded 304 stainless steel construction.
-  **Low-Maintenance Motors:** No chains, gears, or belts—built to last.
-  **Durable Support:** Strong top and bottom arm design for superior stability.
-  **Precision Spray Nozzles:** 5 per arm for ultimate lubrication and paint protection.
-  **Vehicle Protection:** Pneumatic arms & hydraulic brushes prevent damage from pressure and friction.
-  **Mitter Cloth Design:** Eliminates damage from traditional top brushes.
-  **Advanced Blowers:** Staggered starts for efficient drying, energy optimization, and smooth operation.
-  **Smart Connectivity:** Real-time monitoring to predict maintenance and minimize downtime.
-  **Troubleshooting & Diagnosis:** Simplified tools to reduce service time and keep your system running efficiently.

WARRANTY

 [autec-carwash/warranty](https://autec-carwash.com/warranty)



***With a body like this,
it would be a shame
to cover it up.***

**All stainless steel construction.
American Made.**



AUTEC
CAR WASH SYSTEMS™

AUTEC-CARWASH.COM



AUTEC
CAR WASH SYSTEMS

ENDURA

VEHICLE DIMENSIONS		BAY DIMENSIONS*	
Max Width Standard	110"	Height	10'3"
Max Width Extended Option	122"	Width	16'
Max Height Standard	84"	Length	32'
Max Height Extended Option	96"	*Consult Factory if Less	

UTILITY REQUIREMENTS	
Water Supply	26 GPM @ 40 PSI *
Air	5 CFM @ 100 PSI
Electrical	50 AMP @ 208/230 V AC, 60 HZ, 3 Phase 25 AMP @ 460/480 V AC, 60 HZ, 3 Phase 20 AMP @ 575 V AC, 60 HZ, 3 Phase
*Can Be Reduced with Reclaim	

EXPLORE UPGRADE OPTIONS

Take your car wash to the next level with AUTEC's performance-boosting upgrades. From advanced technology to improved efficiency, we have solutions to enhance your system and wow your customers.

READY TO UPGRADE?

Contact us today to explore your options!

ENDURA

PERFECT FOR AUTO DEALERS & FLEET SERVICES.

Every dealership and fleet is unique, so we offer tailored solutions to meet your specific car wash needs. The **AUTEC Endura Soft-Touch** is specifically designed for non-retail environments, delivering superior cleaning performance with gentle precision. Perfect for dealerships that demand speed, reliability, and efficiency, the Endura saves time and reduce labor costs.

With tall and wide options available, the AUTEC Endura Soft-Touch accommodates a variety of vehicle sizes, ensuring every wash is thorough, efficient, and dependable.

Discover the power of Endura today!

Best Fit: Dealerships & Fleet

All of our car-wash systems are built on a foundation of solid construction and include the high-performance features you need.

- All-Welded Frame
- Stainless-Steel Construction
- Our Signature Wash Material
- Hydraulic Operation
- Dual Arm Support
- Water Based Hydraulics
- Overhead Mitter
- Direct Drive
- Split Hub Design



AUTECH SHINE EXPRESS
CAR WASH SYSTEMS™ POLISHER

VEHICLE DIMENSIONS

Max Width Standard	110"
Max Height Standard	84"

BAY DIMENSIONS*

Height	10'
Width	16'
Length	32'

*Consult Factory if Less

UTILITY REQUIREMENTS

Air	5 CFM @ 100 PSI
Electrical	60 AMP @ 208/230 V AC, 60 HZ, 3 Phase 30 AMP @ 460/480 V AC, 60 HZ, 3 Phase 25 AMP @ 575 V AC, 60 HZ, 3 Phase

FEATURES

- High-quality polish/wax on each vehicle in 8-10 minutes
- Polish with a peace of mind; no scratching, streaking or swirling

EXPLORE OUR UPGRADE OPTIONS

SHINE EXPRESS

POLISH WITH PEACE OF MIND.

AUTECH's Shine Express has the ability to perfectly polish 50 cars in an 8 hour day. Combining our meticulously designed cloth featuring 25,000 polishing strips and the latest technology in polymer chemistry, each vehicle leaves shiny in just 8-10 minutes. Your dealership Shine Express is where customer satisfaction and dealership profit soar.

All of our car-wash systems are built on a foundation of solid construction and include the high-performance features you need.

- All-Welded Frame
- Hydraulic Operation
- Overhead Mitter

- Carbon Steel Construction
- Dual Arm Support
- Direct Drive

- Our Signature Wash Material
- Water Based Hydraulics
- Split Hub Design



260

PERFECT FOR RETAIL WASH FACILITIES & DEALERSHIPS

For dealerships capitalizing on generating revenue with their car wash – we’ve got you covered too! The AUTECH 260 Model has retail capabilities and endless options, while maintaining the speed and performance you need for all cars you are washing. Let us help you design the right wash for your dealership. Our team of experts understand the challenges and opportunities with operating a successful wash from your service department. It starts with a dependable machine that will stand up to the volume and deliver a perfect wash every time.

VEHICLE DIMENSIONS		BAY DIMENSIONS*	
Max Width Standard	110"	Height	10'3"
Max Width Extended Option	122"	Width	16'
Max Height Standard	84"	Length	36'
Max Height Extended Option	96"		

*Consult Factory if Less

UTILITY REQUIREMENTS	
Water Supply	26 GPM @ 40 PSI *
Air	5 CFM @ 100 PSI
Electrical	50 AMP @ 208/230VAC, 60 HZ, 3 Phase 25 AMP @ 460/480VAC, 60 HZ, 3 Phase 20 AMP @ 575VAC, 60 HZ, 3 Phase

*Can Be Reduced with Reclaim

- ### STANDARD FEATURES
- Self-Diagnostic Computer
 - Hydraulic Tank Heater
 - Front-Arm Retract
 - Rear Jog

- ### RECOMMENDED OPTIONS
- Wall of Foam or Triple Foam
 - Rear Super Clean
 - Router for installation configuration and remote service assistance

Best Fit: C-Stores & Dealerships

All of our car-wash systems are built on a foundation of solid construction and include the high-performance features you need.

- All-Welded Frame
- Stainless-Steel Construction
- Our Signature Wash Material
- Hydraulic Operation
- Dual Arm Support
- Water Based Hydraulics
- Overhead Mitter
- Direct Drive
- Split Hub Design



425

OPTIONAL WHEEL BLASTERS

PERFECT FOR RETAILERS WANTING MULTIPLE CAR WASHES

Welcome to our deluxe soft-touch model. Opportunities to customize your car wash abound, so you can optimize your AUTECH investment for your unique location – and choose what features those particular customers want and need. Whether you’re a car dealership, retail car wash, repair shop, or convenience store, you’re in good company: The AUTECH 425 washes thousands of automobiles each day in those locations, 24/7, all around the country.

VEHICLE DIMENSIONS		BAY DIMENSIONS*	
Max Width Standard	110"	Height	10'3"
Max Width Extended Option	122"	Width	16'
Max Height Standard	84"	Length	36'
Max Height Extended Option	96"		

*Consult Factory if Less

UTILITY REQUIREMENTS	
Water Supply	26 GPM @ 40 PSI *
Air	5 CFM @ 100 PSI
Electrical	50 AMP @ 208/230V AC, 60 HZ, 3 Phase 25 AMP @ 460/480V AC, 60 HZ, 3 Phase 20 AMP @ 575V AC, 60 HZ, 3 Phase

*Can Be Reduced with Reclaim

- ### STANDARD FEATURES
- Front-Arm Retract
 - Rear Jog
 - Hydraulic Tank Heater
 - Self Diagnostic Computer

- ### RECOMMENDED OPTIONS
- Router for installation configuration and remote service assistance
 - Wall of Foam or Triple Foam
 - Rear Super Clean

Best Fit: Retail Washes

All of our car-wash systems are built on a foundation of solid construction and include the high-performance features you need.

- All-Welded Frame
- Stainless-Steel Construction
- Our Signature Wash Material
- Hydraulic Operation
- Dual Arm Support
- Water Based Hydraulics
- Overhead Mitter
- Direct Drive
- Split Hub Design



EVOLUTION®

**STELLAR IN ANY SITUATION.
DESIGNED FOR THE RETAIL OPERATOR.**

Get the best of both worlds with the EVOLUTION®. Uniting the strengths of soft-touch car wash methods with touch-free technology, you give your customers the freedom of choice with the height of modern car washing systems. The AUTEVOLUTION team is happy to help you select the best features to not only serve your customers, but also wow them! From multicolor foaming soap, infused with delightful fragrances, to an undercarriage wash, you gain a veritable treasure trove of options. **Soft Touch, Touch-Free, or a combination of both.**

AUTEVOLUTION®
CAR WASH SYSTEMS

VEHICLE DIMENSIONS		BAY DIMENSIONS*	
Max Width Standard	110"	Height	10'3"
Max Width Extended Option	122"	Width	16'
Max Height Standard	84"	Length	36'
Max Height Extended Option	96"	*Consult Factory if Less	

UTILITY REQUIREMENTS	
Water	26 GPM @ 40 PSI (Soft Touch) 35 GPM (Touch Free) 61 GPM (Combination)
Air	5 CFM @ 100 PSI
Electrical	175 AMP @ 208/230 V AC, 60 HZ, 3 Phase 80 AMP @ 460/480 V AC, 60 HZ, 3 Phase 70 AMP @ 575 V AC, 60 HZ, 3 Phase
*Can Be Reduced with Reclaim	

- STANDARD FEATURES**
- High-Pressure, Touch-Free Wash
 - Rocker Panel Blaster
 - Front-Arm Retract
 - Rear Jog

- RECOMMENDED OPTIONS**
- Rear Super Clean
 - Wall of Foam or Triple Foam
 - Router for installation configuration and remote service assistance

**Best Fit:
Retail Autec Express Tunnels**

All of our car-wash systems are built on a foundation of solid construction and include the high-performance features you need.

- All-Welded Frame
- Stainless-Steel Construction
- Our Signature Wash Material
- Hydraulic Operation
- Dual Arm Support
- Water Based Hydraulics
- Overhead Mitter
- Direct Drive
- Split Hub Design



AUTECH CAR WASH SYSTEMS
EVOLUTION TURBO

VEHICLE DIMENSIONS		BAY DIMENSIONS*	
Max Width Standard	110"	Height	10'3"
Max Width Extended Option	122"	Width	16'
Max Height Standard	84"	Length	36'
Max Height Extended Option	96"	*Consult Factory if Less	

UTILITY REQUIREMENTS	
Water	26 GPM @ 40 PSI (Soft Touch) 35 GPM (Touch Free) 61 GPM (Combination)
Air	5 CFM @ 100 PSI
Electrical	175 AMP @ 208/230 V AC, 60 HZ, 3 Phase 80 AMP @ 460/480 V AC, 60 HZ, 3 Phase 70 AMP @ 575 V AC, 60 HZ, 3 Phase
*Can Be Reduced with Reclaim	

- STANDARD FEATURES**
- Soft Touch / Touch Free / Combination Options
 - Onboard High-Pressure Rocker Panel Blasters
 - Quick Release Stainless Side Panels

- RECOMMENDED OPTIONS**
- Rear Super Clean
 - Wall of Foam or Triple Foam
 - Router for installation configuration and remote service assistance

EVOLUTION[®] TURBO

**STELLAR IN ANY SITUATION.
 DESIGNED FOR THE RETAIL OPERATOR.**

Get the best of both worlds with the EVOLUTION-TURBO[®], combining advanced soft-touch and touch-free car wash technologies, giving your customers the ultimate car wash experience. The EVOLUTION-TURBO[®] envelopes vehicles of all sizes with up to 60 high pressure water driven turbo nozzles. The turbo nozzles safely blast away dirt and grime while giving a great show, all without the maintenance of older hydraulically controlled oscillating nozzles.

The AUTECH team is eager to help you select from a wide variety of options that will wow your customers and keep them coming back! Whether you want the ultimate in-bay car wash, or a premium high-traffic express site, with support for multiple onboard and offboard pre and post wash functions, the EVOLUTION-TURBO[®] should be the centerpiece for your facility.

**Best Fit:
 Retail Autec Express Tunnels**

All of our car-wash systems are built on a foundation of solid construction and include the high-performance features you need.

- All-Welded Frame
- Stainless-Steel Construction
- Our Signature Wash Material
- Hydraulic Operation
- Dual Arm Support
- Water Based Hydraulics
- Overhead Mitter
- Direct Drive
- Split Hub Design



VEHICLE DIMENSIONS		BAY DIMENSIONS*	
Max Width Standard	122"	Height	10' 3"
Max Height Standard	90"	Width	16'
		Length	36'

*Consult Factory if Less

UTILITY REQUIREMENTS	
Water	45 GPM @ 40 PSI *
Air	5 CFM @ 100 PSI
Electrical	150 AMP @ 208/230 V AC, 60 HZ, 3 Phase 75 AMP @ 460/480 V AC, 60 HZ, 3 Phase 60 AMP @ 575 V AC, 60 HZ, 3 Phase

*Can Be Reduced with Reclaim

- STANDARD FEATURES**
- Chemical Tire Applicator
 - Onboard Rinse
 - Onboard Heated Pre-Soak
 - High-Pressure, Touch-Free Wash
 - Rocker Panel Blaster
- RECOMMENDED OPTIONS**
- Router for installation configuration and remote service assistance
 - Wall of Foam or Triple Foam
 - Rear Super Clean

TOUCH FREE

PERFECT FOR AUTO DEALERS & RETAIL CENTERS

With peak precision, our one-and-only touch-free system reduces water waste – and is better for the environment. Accommodating vehicles up to 90" tall and 122" wide, the electric eye sensors establish a vehicle's profile, and then the system delivers a fast, economical, precise wash. From the day you decide to partner with us, through the entire lifetime of your investment, our capable team stays by your side. Rest assured that our craftsmanship is so trusted that we rank among the car wash industry leaders.

All of our car-wash systems are built on a foundation of solid construction and include the high-performance features you need.

- All-Welded Frame
- Stainless-Steel Construction
- Our Signature Wash Material
- Hydraulic Operation
- Dual Arm Support
- Water Based Hydraulics
- Overhead Mitter
- Direct Drive
- Split Hub Design



AUTECH™

CAR WASH SYSTEMS

A SMART INVESTMENT FOR YOUR CAR WASH BUSINESS

When it comes to investing in a car wash system, smarter is better. AUTECH Express offers all the performance and efficiency of a tunnel system with a streamlined design that minimizes costs, space requirements, and labor demands. It's the ultimate solution for operators looking to maximize ROI while delivering a premium customer experience.

Here's how AUTECH Express compares to a traditional conveyORIZED tunnel:

	AUTECH EXPRESS	CONVEYORIZED TUNNEL
Land	Less than 0.5 acre	1+ acre
Labor	Unattended. No on-site employees necessary.	10+ total employees 3-4 employees onsite at any given time
Total Investment	\$1.5mm - \$2.1mm	\$5mm+
Build Process	Expedited	4-6 months
Available Capacity	30+ cars washed per hour	100+ cars washed per hour
Average Utilization	Optimized	Under-utilized
Open Hours	24/7	10-12 hours/day
Memberships	Automated car wash memberships available via license plate recognition (LPR) technology	Limited or manual systems for memberships.

WHY CHOOSE AUTECH EXPRESS?

- **Lower Costs:** A fraction of the investment compared to conveyORIZED tunnels.
- **Optimized Space:** Requires less than 0.5 acre, making it perfect for tighter locations.
- **Labor-Free Operation:** No on-site employees needed, saving on staffing costs.
- **Always Open:** Operates 24/7 to maximize customer convenience and revenue.

Invest smarter.

Contact us today to see how AUTECH Express can transform your car wash business!

FACTORY APPROVED UPGRADES



REAR ARM UPGRADE

Designed To More Effectively Clean Rear Windows on SUV's

AUTEC's new rear arms utilize horizontally mounted "helicopter" style polyflex on rows 1-5. Rows 6 & 7 utilize a smaller 6" hub with longer material (cloth only). Arms are inclined towards the vehicle to better fit the vehicle contour.

This new configuration provides improved coverage on vehicles with sloped rear ends allowing the cloth to reach the top of the rear window and get under spoilers. The retro price includes new arms (2), arm bearings (8), cloth (rows 6 & 7), polyflex ("helicopter" style - rows 1-5), and all cloth/polyflex mounting hardware.

Arms are inclined towards the vehicle to better fit the vehicle contour



FRONT ARM JOG

Available on All Friction Machines (Endura, 260, 425, & EV-1)

Now included with the AUTEC Safe Tag feature, the new FRONT ARM JOG feature will alternately jog out each front arm to allow the opposite arm to clean across the front center line of the vehicle. This programmable feature eliminates "skunk stripes" and helps the brushes to hit those hard to reach places on the front of the vehicle.

POLYFLEX

Cleaning Technology

- Durable and superior cleaning performance.
- Engineered for longevity and vibrant colors, even with reclaim systems.
- Produces a polishing effect akin to a professional detail shop.

SPECIFICATIONS

Models: AUTEC ENDURA, AES-260, AES-425, EV-1.
Retrofit-ready with C-Channel hub arms.
Colors: Blue, Red, Black, Green, Yellow, plus Custom Colors.



WALL OF FOAM

A Festival of Colors

- Compact 92" stainless steel nozzle bar for superior foam coverage.
- Multi-color display with optional single-soap or wax foaming add-ons.
- Adaptable to new and existing systems.



100% Stainless Steel Square Foaming Bar:

92" Long, 161 Foaming Holes





TALL & WIDE MACHINES:

BUILT FOR LARGER VEHICLES: Redefining Versatility and Performance

AUTEC's Tall & Wide Machine is engineered to cater to the growing demand for washing larger vehicles, including work vans, trucks, and specialty fleet vehicles.

With its expanded dimensions, this machine offers unparalleled flexibility while maintaining AUTEC's hallmark reliability and performance.

Key Features:

- **Accommodates Larger Vehicles:** Designed to fit taller and wider vehicles, making it ideal for auto dealerships, fleet operators, and car wash businesses looking to expand their service offerings.
- **Durable Construction:** Crafted from 100% stainless steel for maximum durability, even in high-volume and challenging environments.
- **Advanced Cleaning Systems:** Integrated with cutting-edge technologies like Polyflex cleaning and the Wall of Foam enhancement to deliver superior cleaning results.
- **Eco-Friendly Operation:** Optimized water and chemical usage, ensuring efficient and sustainable cleaning.



Samuel's
Five Star

CHEVROLET

AUTEC

CAR WASH SYSTEMS™

**AUTEC, INC. · 2500 WEST FRONT STREET
STATESVILLE · NORTH CAROLINA · 28677**

AUTEC-CARWASH.COM

TEXAS
THE
2025

AUTEC PRODUCT GUIDE

